

# Design • Manufacture • Install Construction & Architecture



CONSTRUCTION SIGNAGE	
NYC D.O.B Signs	1 - 2
Site Safety & Regulation Signs	3 - 14
Street & Sidewalk Closure Signs	15
Contractor Site Signs	16 - 17
ARCHITECTURE SIGNAGE	
Banner, Digital Print & Vinyl Graphic	19 - 21
Letters, Logos & Plaques	22 - 24
Interior & Exterior Signage	25 - 28


Colors and/or Dimensions of the signs in this catalog are suggested and can be changed to your custom specifications/requirements.

#### New Construction Site Signage: Sidewalk Shed + Construction Fence Requirements


#### Construction Fence Signage




#### Construction Fence Signage Smaller Lots



#### Sidewalk Shed Parapet Panel



#### Project Information Panel for Demolition Sites



NYC D.O.B SIGNAGE

I

#### **NYC Construction Information Panels**

Please fill in the information required below. For Project Information, Small Frontage and Demolition Panels please provide a scanned image of your permit and/or permit number. For Project Information Panels and Small Frontage Panels a Project Image is required.

## Project Information, Small Frontage & Demolition Panel - Required Information 1. WORK IN PROGRESS (CIRCLE ONE): COMMERCIAL, MANUFACTURING, RETAIL, OFFICE, HOSPITAL,

SCHOOL, HOTEL, RESIDENTIAL
2. ANTICIPATED COMPLETION DATE:
3. OWNER INFORMATION (CORPORATE NAME, ADDRESS & PHONE #):
4. FOR ADDITIONAL INFORMATION (PHONE # OR WEBSITE):
5. GENERAL CONTRACTOR (CORPORATE NAME & PHONE #):
6. PERMIT # OR PROVIDE IMAGE OF PERMIT:
7. PROJECT IMAGE - REQUIRED FOR PROJECT INFORMATION PANEL & SMALL FRONTAGE PANEL ONLY
Images smaller than 5 MB may be emailed, larger images may be uploaded to out FTP site or mailed on a CD. Please provide Permit and Project Images in PDF, EPS, JPG, TIFF or Al file formats with a resolution of 150 dpi or larger.
Sidewalk Shed Panel - Required Information
1. ADDRESS:
2. NAME OF RESPONSIBLE CONTRACTOR OR OWNER (MAY INCORPORATE A LOGO):

## 2 NYC D.O.B SIGNAGE

Any logo provided shall be in a vector file format such as AI, EPS, or vector PDF.

#### Site Safety Training Information Signs

#### **English Version**

- Workers will not be permitted to work on this site unless they have 30 hours of safety training, demonstrated by an OSHA 30 card, a Limited Site Safety Training Card, or a Site Safety Training Card.
- Workers serving as a Site Safety Manager, Site Safety Coordinator, Concrete Safety Manager, Construction Superintendent or a Competent Person, as required by Section 3301.131.2 of the Building Code, will not be permitted to work on this site unless they have 62 hours of safety training, demonstrated by a Supervisor Site Safety Training Card.

#### As of September 1, 2020:

Workers will not be permitted to work on this site unless they have 40 hours of safety training, demonstrated by a Site Safety Training Card.

Visit www.nyc.gov/nycsafety or call 311 for more information.

TO ANONYMOUSLY REPORT UNSAFE CONDITIONS AT THIS WORK SITE.

#### Chinese Version

#### 自 2019年12月1日起:

- 工作人员除非已完成 **30 小时的安全培训,**如 OSHA 30 卡、有限工
- 根据"建筑行业规范"第 3301.13.12 节的规定,担任工地安全经理。 工地安全协调员、混凝土安全整理。施工监理或安全检察员的工作 人员。除非他们已完成 **62 小时的安全培训,**如主管工地安全培训

#### 自 2020 年 9月1日起:

■ 工作人資除非已完成40 小时的安全培训,如工地安全培训卡证

#### Spanish Version

#### A partir del 1 de diciembre de 2019:

- No se permitirá que los trabajadores trabajen en esta obra a menos que tengan 30 horas de capacitación en seguridad, demostrada por una tarjeta OSHA 30, una Tarjeta de Capacitación Limitada en Seguridad en la Obra o una Tarjeta de Capacitación en Seguridad en la Obra.
- Los trabajadores que se desemperên como Gerente de Seguridad en la Otra, Coordinador de Seguridad en la Otra, Gerente de Seguridad de Concreto, Superimendente de Construcción o una persona capacitadas, seguin lo requiere la Sección 3301.13.12 del Código de Construcción, no podrán trabajar en esta obra a menos que currente con ES Poras de capacitación en seguridad, demostradas por una Tarjeta de Capacitación en Seguridad en la Otra de Supervisor.

#### A partir del 1 de septiembre de 2020:

No se permitirá que los trabajadores trabajen en esta obra a menos que tengan 40 horas de capacitación en seguridad, demostradas por una Tarjeta de Capacitación en Seguridad en la Obra.

PARA DENUNCIAR ANÓNIMAMENTE CONDICIONES INSEGURAS EN ESTE SITIO DE TRABAJO, LLAME AL 311.

#### Polish Version

#### Od 1 grudnia 2019 r.:

- Pracownicy nie będą mogli pracować na tym terenie budowy, jeżeli nie odbyli 30 godzin szkolenia z zakresu bezpieczeństwa pracy, potwierdzonego kartą 0SHA 30, Kartą oganiczonego szkolenia z zakresu bezpieczeństwa w miejscu pracy lub Kartą szkolenia z zakresu bezpieczeństwa w miejscu pracy.
- pracy too varie ja vicelini z zanesiu si zajeniczeniawe w niejacu pracy. Pracowincy pełniacy funkcję korownika dis. bezpieczeństwa rokof, koodynatora dis. bezpieczeństwa rokof, kierownika dis. bezpieczeństwa betronowania, inspektionadora u bodowinacje uki osoby, kompletnine, apodnie z vymogami sekoj 330 113 12 Kodeksu Budowinacja, nie będą mogł pracować nad tym termie budowy, jezel nie odby 62 godnia sokolenia z dziwresu bezpieczeństwa pracy, udkumentowanego Kartą sakolenia z zakresu nadzoru bezpieczeństwa w miejscu pracy.

#### Od 1 września 2020 r.:

Pracownicy nie będą mogli pracować na tym terenie budowy, jeżeli nie odbyłi 40 godzin szkołenia z zakresu bezpieczeństwa pracy, potwierdzonego Kartą szkolenia z zakresu bezpieczeństwa w miejscu pracy.

Odwiedź www.nyc.gov/nycsafety lub zadzwoń pod numer 311, aby uzyskać

ABY ANONIMOWO ZGŁOSIĆ NIEBEZPIECZNE WARUNKI PRACY NA TYM TERENIE BUDOWY, ZADZWOŃ POD NUMER 311



October 2019

#### **SERVICE NOTICE**

#### New Requirement: Site Safety Training Information Signs at Construction Sites

Beginning October 15, 2019, general contractors must post worker safety information signs at construction sites where site safety training is required.

The signs must:

- contain specific information about required worker safety training, including all site safety training deadlines and the number of required training hours, and the information must
- be in all the languages used by workers to communicate at the construction site. In addition, the signs must
- be clearly visible to workers and must be posted at the construction site as follows:
  - Sites with construction fencing must post a sign at each egress point on the inside of the construction fencing, including vehicle delivery fence gates and existing loading docks.
  - Sites without construction fencing must post a sign at each egress point within
    the controlled access zone where construction is taking place and at each existing
    loading dock or location being used for construction delivery or access.

To comply with the new requirements, the posted sign must:

- · be 44 inches wide and 30 inches high;
- · have letters at least 1 inch (25 mm) high;
- · have white letters on a blue background; and
- be made of a durable and weatherproof material such as vinyl, plastic, or aluminum that is flame retardant.

The Department has created a <u>template</u> of the worker safety information sign that complies with this new requirement. The template is available for download in multiple languages on the Department's website.

NOTE: 1 RCNY §3301-03 will be published in the City Record October 15, 2019 and will be effective immediately.

POST UNTIL: December 31, 2019

Melanie E. La Rocca, Commissioner build safe | live safe nyc.gov/buildings

## **2B**

#### SITE SAFETY TRAINING INFORMATION SIGNS

## NOTICE

YOUR MESSAGE HERE

#A

## **NOTICE**

SYMBOL

YOUR MESSAGE HERE

#B

#### SIZE

- 7" x 10"
- □ 10" x 14"
  □ \* 12" x 18"
- 18" x 24"
- 24" x 36"

## **NOTICE**

EMPLOYEE ENTRANCE ONLY

#A-1

#### NOTICE

AUTHORIZED PERSONNEL ONLY

#A-2

#### NOTICE

ALL VISITORS

MUST REPORT
TO SITE OFFICE

#A-3

## NOTICE

ELECTRICAL ROOM

#A-4

#### NOTICE

ALCOHOL IS NOT PERMITTED ON SITE

#A-5

## NOTICE

DO NOT BLOCK DOOR

#A-6

#### NOTICE



VIDEO SURVEILLANCE IN USE ON THESE PREMISES

#B-1

## NOTICE



POSITIVELY NO SMOKING ALLOWED ON THESE PREMISES

#B-2

#### NOTICE



AUTHORIZED PERSONNEL ONLY BEYOND THIS POINT

#B-3

## NOTICE



NO FOOD NO DRINK ALLOWED

#B-4

## NOTICE



SAFETY GLASSES REQUIRED

#B-5

#### **NOTICE**



EMPLOYEES MUST WASH HANDS BEFORE RETURNING TO WORK

#B-6

SITE SAFETY SIGNS

3

#### SIZE

- 7" x 10"
- □ 10" x 14"
- = \* 12" x 18"
- 18" x 24"
- 24" x 36"

## CAUTION

YOUR MESSAGE HERE

#C

**ACAUTION** 

SYMBOL

YOUR MESSAGE HERE

#D

## CAUTION

STANDBY GENERATOR AUTOMATICALLY STARTS DURING POWER OUTAGE

#C-1

## CAUTION

WATCH FOR MOVING EQUIPMENT

#C-2

## CAUTION

EMPLOYEES ONLY

#C-3

## CAUTION

WATCH OVERHEAD LINES

#C-4

## CAUTION

THIS VEHICLE MAKES FREQUENT STOPS

#C-5

## CAUTION OPEN PIT

#C-6

#### **ACAUTION**



OXYGEN CYLINDERS STORAGE

#D-1

## **ACAUTION**



FLOOR FLIPPERY WHEN WET

#D-2

#### **ACAUTION**



OXIDIZING GAS(ES) STORED WITHIN NO SMOKING

#D-3

## **ACAUTION**



X-RAY RADIATION

#D-4

## **ACAUTION**



OXYGEN STORAGE

#D-5

#### **ACAUTION**



HARD HATS AND SAFETY GLASSES IN THIS AREA

#D-6

4

SITE SAFETY SIGNS



HERE #E DANGER

YOUR
SYMBOL MESSAGE

#F

HERE

#### SIZE

- 7" x 10"
- □ 10" x 14"
  □ \* 12" x 18"
- □ 18" x 24"
- 24" x 36"



#E-1



NO OPEN FLAMES #E-2



#E-3



#E-4



#E-5



#E-6



#F-1





#F-2





#F-3





DIESEL FUEL

#F-4



#F-5

AREA



#F-6



5

#### SIZE

7" x 10"

10" x 14"

□ \* 12" x 18"

18" x 24"

24" x 36"



#G

SYMBOL

WARNING YOUR MESSAGE HERE

#H



**BE PROSECUTED** #G-1

WARNING **EMPLOYEES** ONLY **BEYOND THIS POINT** 

NO TRESPASSING

#G-3

WARNING

#G-2



#G-4



#G-5



#G-6





AUTHORIZED PERSONNEL ONLY


#H-1





PESTICIDE STORAGE AREA

#H-2





BEYOND THIS POINT

#H-3





FLAMMABLE LIQUIDS

#H-4



#H-5



WEAR HEARING PROTECTION IN THIS AREA WARNING SWITCH ROOM



AUTHORIZED PERSONNEL ONLY

#H-6

## SITE SAFETY SIGNS









24" x 36"36" x 48"


#4~#11




























#### SIZE

#### #15 ~ #26

- 7" x 10"
- \*10" x 14"
- □ 14" x 20" 20" x 28"

#### #15



#### #16



#### #17



#### #18



#19



#20



#21



#22

STANDPIPE FOR FIRE **DEPARTMENT USE** ONLY

#23



#24



#25



#26

IN CASE OF FIRE **USE STAIRWAY FOR EXIT** DO NOT USE ELEVATORS

#### #27 ~ #30

- = \*12" x 12" □ 18" x 18"
- 24" x 24"

#### #31 & #32

- □ 4" x 14"
- 6" x 24"

#### #33 & #34

- □ 12" x 18" \*18" x 24"
- #35 & #36

**Custom Size** 

#27

## SPRINKLER SIAMESE F.D.N.Y. USE

#28



#29



#30

SECURITY GUARD AND VIDEO SURVEILLANCE AT ALL TIMES

#31



#32 FIRE



#34



#35



#36

**EMERGENCY EXIT ONLY** ALARM WILL SOUND

#### FIRE SAFETY SINGS

#37



#38



ALL VOLATORS WILL BE SUBJECTED TO F.D.N.Y. FINES AND PROSECUTIO BY F.D.N.Y. CONTRACTORS WILL BE FINED FOR FAILURE TO ENFORCE THIS RULE #39

## HARD HAT AREA

#40

# ATTENTION ALL VISITORS MUST CHECK IN AT FIELD OFFICE

SIZE

#37 ~ #40

□ \*24" x 24"
□ 30" x 30"

36" x 36"

#41



#42

#### DESIGNATED HARD HAT AREA HARD HATS MUST BE WORN

AT ALL TIMES
WHEN ON THIS SITE

#43

AUTOMATIC SPRINKLER
SHUT-OFF VALVE
LOCATED
100 FEET SOUTH EAST
OPPOSITE SIGN

#41 ~ #43

□ 18" x 24"

□ 24" x 30"

□\*36" x 48"

#44



#45



IT IS AGAINST THE LAW TO SMOKE IN THESE PREMISES #46



#47

POST NO BILLS #44 ~ #46

□ 7" x 10"

□\*12" x 18"

□ 18" x 24"

#48

#### STOP - READ GATE 1

THIS GATE IS RESERVED FOR THE EXCLUSIVE USE OF ALL CONTRACTORS, SUBCONTRACTORS AND THEIR EMPLOYEES, SUPPLIERS AND VISITORS AT\_

**(YOUR CUSTOM WORDING HERE)** 

#49

#### STOP - READ GATE 2

THIS GATE IS RESERVED FOR THE EXCLUSIVE USE OF ALL EMPLOYEES, SUBCONTRACTORS, SUPPLIERS AND VISITORS OF

**YOUR CUSTOM WORDING HERE** 

#47 ~ #49

□ 12" x 12"

□ \*24" x 24"

OTHER SAFETY SIGNS

9

#### SIZE

- □\*12" x 18"
- □ 18" x 24"































10

PARKING REGULATION SIGNS

STOP







#### SIZE

#65 ~ #73

- □\*24" x 24"
- □ 30" x 30"
- 36" x 36"48" x 48"

#69







NO TURNS

#73







#74 & #75

□\*12" x 36"

□ 18" x 54"

#77



MINIMUM SPEED 40

#75

#78

KEEP

RIGHT

ONE WAY

#76 ~ #80


□ \*18" x 24"

- 24" x 30"
- 30" x 48"
- □ 48" x 60"

REGULATORY SIGNS

11

SIZE



## REGULATORY SIGNS



REGULATORY SIGNS 1

#### SIZE

#### #113 ~ #120

- □ \*18" x 24"
- 24" x 30"
- 36" x 38" □ 48" x 60"

#113



#114



#115



#116

END **DETOUR** 

#117



#118

WORK ZONE

#119

**EXIT** ONLY #120

500 FEET

#### #121 ~ #125

- □ 12" x 24"
- □\*18" x 36"

#121

DETOUR

#122



#123

SLOW TRAFFIC **AHEAD** 

#124

SLOW MOVING VEHICLE

#### #126 & #127

- \*12" x 36"
- 18" x 48"

#125



#126



#127



#### #128 ~ #131

- □ 24" x 24"
- □ 30" x 30"
- □\*36" x 36"

#128



#129



#130



#131



#### REGULATORY SIGNS

#132



#133



#134



SIZE

#132 ~ #135

□ 24" x 36" □ \*36" x 48"

#135

## SIDEWALK CLOSED

**USE OTHER SIDE** 

#136

WEST 15TH STREET
BETWEEN 6TH AVE AND 5TH AVE
WILL BE CLOSED
SATURDAY AND SUNDAY
3/29/14 AND 3/30/14
FROM
6:00 AM SAT - 9:00PM SUN
USE ALTERNATE ROUTE

#137

WASHINGTON STREET
CLOSED
12/01/15
7AM-4PM
USE ALTERNATE

#136 & #137

□ 36" x 36" □\*48" x 48"


#138



#139



#140



#138 ~ #140

□ \*12" x 24"

18" x 36"24" x 48"

#141

SIDEWALK CLOSED

#142

CONSTRUCTION AREA AUTHORIZED PERSONNEL ONLY #143



#141 & #142

□\*24" x 24"

#143

Any Size

15





#CS-3

4' x 8'



770 Broadway, 10th Floor New York, NY 10003 Fax: 212.907.0901 Tel: 212.907.0900

www.pavarinimcgovern.com

4' x 6' #CS-5

## **AECOM TISHMAN**

4' x 6' #CS-7



4' x 6'

#### #CS-2



12" x 24"

#### #CS-4



12" x 24"

#### #CS-6



12" x 24"

#### #CS-8




12" x 24"


## **CONTRACTOR SITE SIGNS**



3' x 5'



#CS-12






#CS-A

YOUR COMPANY LOGO & INFO

YOUR COMPANY LOGO FIELD OFFICE

#CS-B



Banner & Flag | Digital Print | Letters, Logos & Plaques
Vinyl Graphic | Interior Package | Light Box | Awning
Exterior Signage

18 WHAT WE DO














BANNER & FLAG 19

















## DIGITAL PRINT













VINYL GRAPHIC 21















## 22 LETTERS, LOGOS & PLAQUES



















LETTERS, LOGOS & PLAQUES










## 24 LETTERS, LOGOS & PLAQUES

#### Interior Signage Package Directory & Wayfinding















#### Interior Signage Package Identification Signage























## 26 INTERIOR SIGNAGE PACKAGE

#### Interior Signage Package Regulatory Fire Safety

























INTERIOR SIGNAGE PACKAGE 27













## 28 EXTERIOR SIGNAGE

ORDER FORM

## COPY AND FAX TO CAPITAL SIGNS FAX: 212 - 564 - 4860 For Assistance Or Information Call 212-564-1185

BILLING AD	IURESS:		
PROJECT N	IAME:		
DELIVERY	ADDRESS:		
PROJECT N	//ANAGER:		
SITE TEL:			
JOB #:			
		SIGN/S FROM (	CATALOG
SIGN#	QTY	COMMENT/S	MATERIAL
			ALUMINUM
			☐ THIN-GAGE
			☐ ENGINEERING GRADE
			PLASTIC
			☐ COROPLAST
	15		☐ PLEXIGLAS
			□ POLYCARBONATE SHEET
			LAMINATED PANELS
			☐ MDO PLYWOOD
			☐ DORA-BOND
		CUSTOM S	IGN/S
		PLEASE INCLUDE COLOR	
		SKETCH IN TH	E BOX

## 25 YEARS EXPERIENCE IN SERVING THE CONSTRUCTION INDUSTRY WE ARE ALSO A

## FULL SERVICE SIGN COMPANY





#### **Need a CUSTOM LEGEND?**

Call Us,We Can Make It! 212-564-1185

Don't SEE IT? Call Us,We Can Get It!



TEL: 212-564-1185

FAX: 212-564-4860

www.capitalsignsny.com signs@capitalsignsny.com

